

# Sizing List

Sizing	Regular products	Matrixes that we recommend for this sizing*	Recommended processing technologies and main applications*
02	Dry chopped strands	Phenolic resins	<ul style="list-style-type: none"> <li>• Break pads and clutch plates production</li> </ul>
05/1	Wet chopped strands (6-9% of humidity)	Aqueous medium; cement matrixes	<ul style="list-style-type: none"> <li>• Wet laid nonwoven mats and veils for production of car's headliners and other applications.</li> <li>• Poured-in-place concrete floor reinforcement for improving of crack resistance.</li> </ul>
11	Roving, twisted yarn, chopped strands, woven fabrics, stitched fabrics	Vinylester and polyester resins	<ul style="list-style-type: none"> <li>• Weaving • Good grade for impregnation in RTM, vacuum infusion, filament winding, pultrusion and other technologies.</li> </ul>
12	Roving, twisted yarn, chopped strands, woven fabrics, stitched fabrics	Epoxy, phenolic resins	<ul style="list-style-type: none"> <li>• Weaving • Good grade for impregnation in RTM, vacuum infusion, filament winding, pultrusion and other technologies</li> <li>• Car's muffler filler production</li> <li>• Production of thermal insulating sleeves, braids and fabric for car's exhaust system</li> </ul>
15	Spray-up roving	Vinylester and polyester resins	<ul style="list-style-type: none"> <li>• Spray-up technologies</li> </ul>
13	Alkali resistant chopped strands	Cement matrixes	<ul style="list-style-type: none"> <li>• Concrete reinforcement for improving of crack resistance.</li> </ul>
42	Alkali resistant roving	Epoxy and polyurethane resins	<ul style="list-style-type: none"> <li>• Rebar production</li> </ul>

\* - if your technology, application or matrix isn't listed above please contact the Sales department to find a solution which would meet your technical requirements

